

## CLAIMS

We claim:

- 5 1. A method of increasing crop yield comprising administering an effective amount of a composition comprising a peptide and a polysaccharide on a seed of said crop or to a soil in which said crop is cultivated, wherein the peptide is present in an amount of 2-90% by weight of the dry weight of the total peptide-polysaccharide complex and the polysaccharide is present in an amount of 10-98% by weight of the dry weight of the peptide-polysaccharide complex.  
10
2. A method for accelerating crop emergence comprising administering an effective amount of a composition comprising a peptide and a polysaccharide on a seed of said crop or to a soil in which said crop is cultivated, wherein the peptide is present in an amount of 2-90% by weight of the dry weight of the total peptide-polysaccharide complex and the polysaccharide is present in an amount of 10-98% by weight of the dry weight of the peptide-polysaccharide complex.  
15
3. A method accelerating crop maturity comprising administering an effective amount of a composition comprising a peptide and a polysaccharide on a seed of said crop or to a soil in which said crop is cultivated, wherein the peptide is present in an amount of 2-90% by weight of the dry weight of the total peptide-polysaccharide complex and the polysaccharide is present in an amount of 10-98% by weight of the dry weight of the peptide-polysaccharide complex.  
20
4. The method of claims 1, 2 and 3, wherein the peptide is present in an amount of 2-30% by weight of the dry weight of the peptide-polysaccharide complex and the polysaccharide is present in an amount of 70%-98% by weight of the dry weight of the peptide-polysaccharide complex.  
25  
30

5. The method of claims 1, 2 and 3, wherein administering is performed before seeding of said crop.

6. The method of claims 1, 2 and 3, wherein administering is performed  
5 simultaneously with seeding of said crop.

7. The method of claim 1, wherein administering is performed after seeding of said crop.

10 8. A seed composition comprising a crop seed and coating, said coating comprising a peptide and a polysaccharide, wherein the peptide is present in an amount of 2-90% by weight of the dry weight of the total peptide-polysaccharide complex and the polysaccharide is present in an amount of 10-98% by weight of the dry weight of the peptide-polysaccharide complex.

15 9. The composition of claim 8, wherein the peptide is present in an amount of 2-30% by weight of the dry weight of the peptide-polysaccharide complex and the polysaccharide is present in an amount of 70%-98% by weight of the dry weight of the peptide-polysaccharide complex.

20 10. The composition of claim 8, wherein the crop seed is a potato.

11. The composition of claim 8, wherein the crop seed is a grain.

25 12. The composition of claim 11, wherein the grain is barley.

13. The method of claims 1, 2 and 3, wherein the peptide is isolated from a natural, synthetic or recombinant source.

30 14. The method of claims 1, 2 and 3, wherein the peptide is zein.

15. The method of claims 1, 2 and 3, wherein the polysaccharide is isolated from a natural, synthetic or recombinant source.

16. The method of claim 15, wherein the polysaccharide is a cellulosic derivative.

5

17. The method of claim 16, wherein the cellulosic derivative is selected from a group consisting of carboxymethylcellulose, methylcellulose, hydroxypropyl cellulose, hydroxypropyl methylcellulose, and microcrystalline cellulose.

10 18. The method of claims 1, 2 and 3, wherein the polysaccharide is starch or a starch derivative.

19. The method of claims 1, 2 and 3, wherein the polysaccharide is pectin.

15 20. The method of claims 1, 2 and 3, wherein the polysaccharide is derived from an exudate gum polysaccharide.